

## Xəstəlik törədicilərin latın adlarının göstəricisi

*Acrasiomycota* 41, 55  
*Acholeplasmataceae* 113  
*Acholeplasmatales* 113  
*Albugaceae* 60, 62  
*Albugo* 49,62  
-*candida* 62,  
*Alternaria* 84, 180, 261  
-*alternata* (Fr.) Keissi. 153, 180, 207, 285  
-*tenuissima* Simmons 180  
-*solani* Sorauer. 233, 329  
-*tenuis* Nees et Cda. 301  
-*brassicae* Sacc. 317  
-*cucurbitae* Letendre et Roum. 350  
-*porri* (Ell.) Cif. 393  
-*radicina* M. D. et E. 403  
-*punicae* Agajeva sp. Nova 537  
*Anamorphic fungi* 41, 62, 80  
*Agrobacterium* 105  
-*tumefaciens* (E.F.Sm. et Town.) Conn. 105, 287, 431, 486, 515  
-*radiobacter* 105  
-*rhizogenes* 105  
*Agonomycetes* 82, 86  
*Archaeascomycetes* (syn. *Taphrinomycetes*) 65  
*Ascochyta* 85  
-*imperfecta* Pers. 20, 223  
-*pisi* Lib. 85, 209  
-*hordei* Hara. 154  
-*oryzae* Catt. 198  
-*pinodes* L.K.Jones 209  
-*cucumis* Fauts et Roum. 349  
*Ascomycota* 41, 50, 55, 62, 64  
*Aspergillus* 48, 83, 158  
-*niger* 83  
*Aphanomyces cochloides* 58  
*Apple mosaic virus* 433  
*Apple chlorotic leaf spot virus* 433  
*Bacteria* 93  
*Bacterium stewartii* 142  
*Basidiomycetes* 72  
*Basidiomycota* 41, 51, 55, 62, 72  
*Bean yellow mosaic virus* 215  
*Bean yellow slipe virus* 221  
*Beet yellows virus* və *Beet mild yellowing virus* 288  
*Bipolaris sorokiniana* (Sacc.) Shoemaker 155, 179  
*Blastocladales* 63  
*Blumeria graminis* 11  
*Blumeria graminis* (DC.) Speer f. *sp. tritici* Marchal. 150  
-f. *hordei* 172  
*Botrytis* 83  
-*cinerea* Pers. 83, 262, 275, 300, 480, 496, 525, 538

-*allii* Munn. 83, 386  
*Cabbage mosaic virus* 320  
*Carrot mottle virus* 410  
*Cercospora* 48, 84  
-*beticola* Sacc. 24, 84, 277  
-*depressa* (Berk. et Br.) Wass. 406  
-*lythracearum* Heald. et Wolf. 536  
*Cicinnobolus cesatii* 137  
*Cladosporium* 84  
-*fulvum* 23, 84  
-*citri* Fawc. 524  
*Clavicipitales* 67, 70  
*Clavibacter michiganensis subsp. michiganensis* (Smith.) Jensen. 97, 99, 335  
-*michiganensis subsp. sepedonicus* (Spierkermann & Kotthoff.) Davis et al. 239  
*Chromista* 41, 55  
*Chytridiales* 63  
*Chytridiomycota* 41, 54, 62  
*Chytridiomycetes* 62  
*Clasterosporium carpophilum* Aderh. 443  
*Coelomycetes* 82, 84, 85  
*Colletotrichum* 85  
-*capsici* Santhw. 373  
-*gloesporioides* Penz. 373, 522  
-*lindemuthianum* Br. et Cav. 85, 211  
-*lagenarium* 22, 55  
-*trifolii* Bian. 226  
-*atramentarium* Taub. 333  
-*orbiculare* Arx. 347  
-*circinans* (Berk.) Vogl. 390  
-*limeticola* Clausen 522  
-*foliicolum* Nish. 522  
*Coccomyces* 70  
-*hiemalis* Higg. 445  
*Cochliobolus heterostrophus* 142  
*Corynebacterium tritici* 142  
*Coniothirium diplodiella* (Speg.) Sacc. 485  
*Cronartium* 80  
-*ribicola* 80  
*Cronartiaceae* 80  
*Cucumber mosaic virus* 304  
*Cucumber necrosis virus* 357  
*Cucumis mosaic cucumovirus* 356  
*Currant mosaic* 509  
*Cytospora* 85  
-*leucostoma* Fr. 22, 458  
-*carposperma* Fr. 429  
-*rubensum* Fr. 458  
*Dematiaceae* 48, 71, 82, 84  
*Diaportales* 67, 70  
*Diaporthaceae* 70  
*Dictyosteliomycota* 41, 55  
*Didymella chrysanthemi* (Tossi.) Gar. et Gull. 142

-*applanata* Sacc. 512  
*Diplodiella oryzae* I.Miyake 198  
*Diplodia* 85  
-*zeae* 85  
*Dothideales* 72  
*Drechslera* 84  
*Entyloma*  
-*camussianum* var. *pretense*  
*Endogonales* 63, 64  
*Entomophthorales* 63, 63  
*Ephaceloma citri* (Butl.) Cif. 524  
*Erysiphe* 69  
-*communis* f. *psii* (H.A.Dietr.) Jacz. 206  
-*communis* f. *betae* Weltzien. 278  
-*communis* (Wallr.) f. *solani lycopersici* Jacz. 330  
-*communis* Grev. f. *medicaginis* Dietr. 221  
-*cichoracearum* D.C. f. *helianthi* Jacz. 263  
-*cichoracearum* D.C. f. *nicotianae* Jacz. 298  
-*cichoracearum* D.C. f. *cichoracearum* Poteb. 344  
-*umbelliferarum* de Bary 402  
*Erysiphales* 67  
*Erysiphaceae* 67  
*Erwinia* 97  
-*amylovora* 94, 98, 99, 102, 103  
-*chrysanthemi* 89  
-*toxica* Korobko. 355  
-*carotovora* subsp. *carotovora* (Jones) Bergey, Harrison 96, 102, 319, 343, 375, 409  
*Eubacteria* 93  
*Eusascomycetes* 66  
*Euphacidiaceae* 70  
*Eurotiales* 66  
*Eubacteriales* 93  
*Exobasidiales* 75  
*Exobasidiaceae* 75  
*Exobasidium* 75  
-*vaccinii* Woron. 75  
*Fungi* 41, 54, 62  
*Fusarium* 22, 84, 156, 186  
-*oxysporium* Schl. 84, 348, 394  
-*oxysporium* f. *lycopersici* Sacc. 332  
-*oxysporum* f. *sp. vasinfectum* W.C.Snyder & H.N.Hansen. 248  
-*oxysporium* Schl. f. *congintinans* Bilai. 315  
-*cepae* (Hans.) Sneyder et Hansen 394  
-*bucharicum* Yacz. 22  
-*orobanches* Jacz. 137  
-*graminearum* Schwabe. 156, 199  
-*avenaceum* 156  
-*verticillioides* (Sacc.) 185  
*Fusicladium* 84  
-*dendriticum* 84  
*Glomerella gossypii* Edg. 142  
*Gloesporium* 22

-*ampelophagum* (Pass.) Sacc. 22, 481  
-*ribis* Mont. et Desm. 506  
-*venetum* Sreg. 513  
*Graphium ulmi* 84  
*Gymnosporangium* 79  
-*tremelloides* Hartig. 79, 426  
-*sabinae* Wint. 426  
-*dobrozwacovae* Mitr. 426  
-*confisum* Plawr. 426  
*Helotiales* 70  
*Helminthosporium* 84  
-*maydis* Y.Nisik. & C.Miyake 187  
*Heterobasidiomycetidae* 74  
*Hemiascomycetes* 65  
*Homobasidiomycetidae* 72, 74  
*Hysteriales* 72  
*Hypocreales* 67, 69  
*Hyphomycetes* 82  
*Hyphomycetales* 48, 82  
*Hyphochytridiomycota* 41, 55, 57  
*Labyrinthulomycota* 41, 55, 57  
*Leveillula* 69  
-*taurica* (Lev.) G.Arnaud. 256, 330, 367  
-*campesitarum* Golow f. *helianthi* Golow. 263  
*Loculoascomycetes* (syn. *Dothideomycetes*) 65, 72  
*Marssonina* 85  
-*potentillae* P.Magn. f. *fragaria* Ohl. 85, 494  
-*fragaria* 85  
*Macrosporium gossypii* Jacz. 254  
-*macrosporium* (Limm.) Morsy. 254  
*Melasmia acerina* 80  
*Melanconiales* 48, 82, 84  
*Melonconiaceae* 85  
*Melampsoraceae* 79, 80  
*Melampsora* 80  
-*lini* 80  
-*pinitorgua* 80  
-*allii* – *populina* Kleb. 389  
*Microsphaera* 69  
-*alphitoides* 69  
*Microascales* 67  
*Monoblepharidales* 63  
*Mollicutes* 113  
*Moniliaceae* 82, 83  
*Monilia* 83  
-*fructigena* West. 83, 421  
-*cinerea* Bonord. 83, 440  
-*mali* 83  
-*obolonga* 83  
*Mucorales* 63  
*Mucor mucedo* Fresen. 158  
*Myriangiales* 72

*Myxomycota* 41, 55  
*Mychota* 93  
*Mycoplasmatales* 113  
*Mycoplasmataceae* 113  
*Mycosphaerella brassicicola* 80  
-*fragariae* Sacc. 493  
*Mycelia sterilia* vā ya *Myceliales* 82, 86  
*Nigrospora oryzae* (Berk. & Broome) Petch. 188  
*Oidium* 48, 83  
-*tuckeri* 83  
*Olpidium* 63  
-*brassicae* (Woronin.) P.A.Daug. 63, 310  
*Onion yellow dwarf virus* 396  
*Oomycota* 41, 57  
*Oomycetes* 58  
*Oospora* 83  
-*lactis* 83  
*Pectobacterium* 99  
-*carotovorum subsp. carotovorum* 89, 99  
*Penicillium* Ling. 66, 83, 158, 392  
-*digitatum* Sacc. 25  
*Peronospora* 49, 60  
-*pisi* Syd. 208  
-*aestivalis* Syd. 222  
-*schachtii* Fuck. 279  
-*tabacina* Adam. 296  
-*brassicae* Gaum. 311  
-*destructor* (Berk.) Casp. 383  
*Peronosporaceae* 60  
*Peronosporales* 58, 60  
*Peziza* 71  
*Pezizaceae* 71  
*Pezizales* 70, 71  
*Phacidiales* 70  
*Phragmidiaceae* 79  
*Phragmidium* 79  
-*rubi-idaei* 79  
-*disciflorum* 79  
*Phoma* 85  
-*rostrupii* Sacc. 25  
-*exiqua* 85  
-*rostrupii* Sacc. 404  
-*betae* A.B.Frank. 280, 281  
-*oryzae* Cooke & Massee 200  
-*lingam* (Tode) Desm. 313  
-*tracheiphila* (Petri) Kant. et Gic. 519  
-*punicae* 539  
*Phomopsis helianthi* Munt. Cvet. et al. 265  
-*vexans* Faw. 372  
*Phytophthora infestans* (Mont.) de Bary 11, 25, 60, 231, 326  
-*eruthroseptica* 60  
-*capsici* Leonian. 366

-*fragariae* Hickman 499  
-*citrophora* (R. E. et E. N. Sm (Leonian) 521  
-*citricola* Saw. 521  
*Phyllostictia* 69  
-*suffulta* 69  
*Phyllosticta* 80  
-*mali* Pr. et Del. 423  
-*briardi* Sacc. 423  
-*brassicae* 80  
-*oryzaecola* Hara. 201  
-*fuscozonata* Thuem. 514  
-*ruborum* Sacc. 514  
*Plasmiodiophora brassicae* Woron. 21, 314  
*Plasmopara* 49, 60, 61  
-*viticola* Berl. et De Toni 13, 23, 61, 474  
-*helianthi* Novot. f. *helianthi* 23  
-*halstedii* (Farl.) Berl. et de Toni. 267  
-*nivea* Schraet. 408  
*Plasmodiophormycota* 41, 55  
*Plasmodiophoromycetes* 56  
*Pleosporales* 72  
*Podosphaera* 69  
-*leucotricha* Salm. 69, 418  
*Polystigma rubrum* 70  
*Polystigmina rubra* Sacc. 448  
*Potato virus Y* 240  
*Potato virus X* 241  
*Pseudoperonospora cubensis* (Berk. & M.A.Curtis) Rost. 343  
*Pseudomonas tumefaciens* Stev. 20  
-*caryophylli* Starr. and Burkholder 142  
-*cichorii* 104  
-*solanacearum* Smith. 270  
-*tabacum* Dovsan. 301  
-*angulata* Framme et Murray. 303  
-*syrindae* pv. *lachrymans* Young et al. 352  
-*syringae* Van Hall. pv. *syringae* Van Hall. 374, 432, 460  
-*burgeri* Pot. 354  
-*citriteale* (Smith) Starr. 528  
*Pseudopeziza jonesii* Nannf. 224  
-*medicaginis* (Lib.) Sacc. 225  
-*syringae* pv. *maculicula* 94  
-*syringae* pv. *coronafaciens*. 89  
-*syrindae* pv. *lachrymans* 91, 98, 100  
-*syringae* pv. *tomato* 104  
-*syringae* pv. *phaseolicola* 98, 104  
-*syringae* pv. *atrofaciens* Young et al. 164  
-*syringae* pv. *pisi* (Sackett.) Young et al. 214  
*Puccinaceae* 79  
*Puccinia* 79  
-*graminis* Pers. f. *tritici* Erikss. et Nenn. 14, 79, 161  
-*graminis* Pers. f. *secalis* Erikss. et Nenn. f. *tritici* Erikss. et Nenn. 177  
-*glumarum* Erikss. et Henn. 24

-*dispersa* 79  
-*horiana* Henn. 142  
-*recondita* Rob. ex Desm. f. *tritici* 159  
-*striiformis* West. 162  
-*hordei* G.H. Otth. 176  
-*helianthi* Schwein. 260  
-*porri* Wint. 389  
-*allii* Rud. 389  
*Protomyces* 66  
*Protomycopsis* 66  
*Protomycetales* 66  
*Protozoa* 41  
*Prumus necrotic ring-spot virus* 463  
*Pyronemataceae* 71  
*Pythiaceae* 60  
*Pythium* 60  
-*debaryanum* R.Hesse. 60, 281, 293, 310  
-*aristosporu* Vanterp. 157  
-*arrhenomanes* Drechsler 157  
-*graminicola* Subraman. 157  
-*ultimum* Trow 157  
*Radisch mosaic virus* 321  
*Ramularia* 83  
-*tulasnei* 83  
*Rhacodtella vitis* Schier. 483  
*Rhizoctonia aderholdii* Kolosch. 22  
*Rhizoctonia* 86  
-*solani* J.G.Kuehn. 86, 293, 310  
-*aderholdii* (Ruhl.) Kolosh. 251  
*Rhizobium radiobacter* 89, 94, 98, 99  
*Rhizopus nigricans* Ehrenb. 158, 275, 499  
*Rhytisma* 70  
-*acerinum* 80  
*Saprolegnia* 49  
*Saprolegniales* 58  
*Saprolegniaceae* 58  
*Saccharomycetales* 65  
*Sclerotinia sclerotiorum* (Lib.) de Bary 189, 268  
*Sclerotiniaceae* 71  
*Sclerotium* 86  
-*bataticola* 86  
-*rolfsii* Sacc. 368  
-*sclerotiorum* de Bary 370  
-*cepivorum* Berk. 391  
*Septobasidiales* 76  
*Septoria* 85, 407  
-*nodorum* (Berk.) Berk. 85, 178  
-*tritici* Berk. & M.A.Curtis 152  
-*maydis* var. *mojor* Panas. 190  
-*oryzae* Catt. 201  
-*lycopersici* Speg. 331  
-*piricola* Desm. 424

-ribis Desm. 507  
-rubi West. 514  
*Sorosporium reilianum* (Kuehn.) McAlp. 190  
*Spermophthora gossypii* 65  
*Sphaeropsidales* 48, 82, 85  
*Sphaeropsidaceae* 85  
*Sphaerotheca* 68  
-*pannosa* Lev. var. *persicae* Woronich. 68, 454  
-*fuliginea* Poll. f. *cucurbitae* Yacz. 344  
-*macularis* Magn. f. *fragariae* Jacz. 495  
-*mors-uvae* Bert. et Curt. 508  
*Sphaceloma punicae* ĩem. 534  
*Sphaeriales* 67, 69  
*Sphaeropsis* 85  
-*malorum* Peck. 85, 427  
*Spiroplasmataceae* 113  
*Spongospora subterranea* (Wallr.) Yagerh. 236  
*Srhaceloma australis* Bitanc. et Yenck. 524  
*Stereum purpureum* Pers. 22  
*Strawberry mosaic virus* 501  
*Strawberry mottle virus* 501  
*Strawberry vein banding virus* 501  
*Streptomyces* 89, 107  
-*scabies* (Thaxter) Waksman et Henrici. 89, 107, 237  
*Stilbaceae* 82, 84  
*Synchytrium endobioticum* (Schilb.) Pers. 21, 25, 63, 142, 238  
*Taphrinales* 65  
*Taphrinaceae* 65  
*Taphrina* 27, 65  
-*pruni* Tul. 27, 450  
-*cerasi* 20  
-*deformans* Tul. 26, 452  
*Thielaviopsis basicola* (Berk. et br.) Ferraris. 22, 295  
*Tilletiaceae* 76  
*Tilletia* 20  
-*caries* (DC.) Tul. 20, 76, 146  
-*controversa* 76  
-*secalis* 76  
-*indica* 76, 142  
-*laevis* Kuehn. 146  
-*horrida* Takah. 202  
*Tobacco mosaic virus* 304, 337  
*Tobacco necrosis virus* 357  
*Tomato mosaic virus* 336  
*Tomato spotted wilt virus* 337  
*Transchelia* 79  
-*pruni-spinosae* (Pers.) Diet. 79, 449  
*Trichoderma* 83  
-*lignorum* 83, 137  
*Trichothecium* 83  
-*roseum* (Pers.) 83, 158  
*Tuberculariaceae* 82, 84



*Tubercularia* 84  
-*vulgaris* 84  
*Uncinula* 69  
-*necator* Burr. 69, 83, 477  
*Urediniomycetes* 72, 76  
*Uredinales* 76, 79  
*Urocystis* 76  
-*occulta* 76  
-*cepulae* Frast. 76, 387  
-*tritici* Koehn. 148  
*Uromyces* 79  
-*pisi* Schroet. 20, 79  
-*pisi* (Pers.) de Bary 210  
-*fabae* (Pers.) DB. f. *pisi-sativae* Hirats. 210  
-*striatus* Schr. 227  
-*betae* (Pers.) Lev. 283  
*Ustilaginomycetes* 72, 74  
*Ustilaginales* 74, 75  
*Ustilaginaceae* 76  
*Ustilado* 76  
-*avenae* 76  
-*laevis* 76  
-*hordei* (Pers.) Lagerh. 76, 174  
-*nuda* (C.N.Jensen) Rostr. 76, 175  
-*tritici* (Pers.) Rostr. 76, 149  
-*zeae* (Beckm.) Ung. 20, 21, 76, 192  
-*nigra* Tapke. 173  
*Valsa* 70  
*Verticillium albo-atrum* Reinke et Berth. 22, 332, 369  
-*dahliae* Kleb. 246, 269, 369, 456  
*Venturia inaequalis* Wint. 414  
-*pirina* Aderh. 414  
*Volkartia* 66  
*Whetzelinia sclerotiorum* (de Bary) Kopyr. et Dumont. 351, 405, 498, 527  
*Xanthomonas* 89  
-*vesicatoria* (Dowson.) Dye. 89, 101, 334, 376  
-*tanslucens* 91  
-*campestris corylina* 101  
-*campestris* pv. *cucurbitae* (Dowson.) Dyl. 356  
-*campestris* pv. *undulosa* Young. et al. 163  
-*campestris* pv. *beticola* 98  
-*campestris* pv. *campestris* Dowson. 89, 318  
-*campestris* pv. *pruni* Dye. 460  
-*malvacearum* (E.F.Sm.) Dowson. 252  
-*phaseoli* (E.T.Sm.) Dowson. 212  
-*axonopodis* pv. *citri* 101  
-*oryzae* pv. *oryzicola* 101, 203  
-*citri* (Hasse.) Dowson. 142  
-*fragariae* Kennedy et King. 500  
-*rubi-idei* Gorl. 515  
-*axonopodis* pv. *punicae* 540  
*Zoopagales* 63

*Zygomycota* 41, 54, 62, 63  
*Zygomycetes* 63  
*Zythia versoniana* Sacc. 533